Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	2	"6212633".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/05 16:07
S2	2	"5706427".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/08/05 10:46
S3	38	"5706427".URPN.	USPAT	OR	OFF	2003/08/05 10:43
S4	68	tabuki.inv.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/08/05 10:47
S5	385	dejong.inv.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/08/05 10:47
S6	1	dejong.inv. and (sun micro adj system$1).asn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/08/05 11:01
S7	113	javacard or (java adj card)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/08/05 11:02
S8	15609	"713"/$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/08/05 11:02
S9	16	"713"/$.ccls. and (javacard or (java adj card))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/08/05 12:17
S10	37212	(unique or perculiar or random$4) near3 (password or id or identifier or tag or token or key)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/08/05 13:58

S11	2	"6088717".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/18 17:57
S12	2	"6421656".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/18 17:57
S13	2	"6308204".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/20 12:25
S14	118	"6006264".uref.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/20 12:54
S15	20	"6449647".uref.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/20 12:55
S16	25	kokku.inv.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/20 12:58
S17	19	(S14 or S16 or S15) and endpoint$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/20 12:57
S18	15	S17 and (logical or virtual)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/20 12:57
S19	46	"5706427".uref.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/04 18:09
S20	33	S19 and ((plurality or group$1 or peer or multiple) near7 server$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/04 17:18

S21	12870	microsoft.asn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/04 17:07
S22	57	S21 and passport	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/04 17:13
S23	314	peer adj3(cookie$1 or credential$1 or id or identifier$1 or key or signature$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/04 17:15
S24	115	S23 same (authenticat$4 or authoris$8 or authoriz$8 or verif$8 or password$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/04 17:38
S25	53908	((plurality or group$1 or peer or multiple or federation) near7 server$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/04 17:52
S26	49	S25 and S22	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/04 17:19
S27	49	S25 and S22	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/04 17:28
S28	21983	smart adj (key$1 or card$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/04 17:29
S29	48	S28 and S21 and S25	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/04 17:29
S30	32	S29 and @ad<"20011029"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/04 17:53

S31	28	S30 and (identifier$1 or id$1 or credential$1 or key$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/04 17:41
S32	24	S31 and (authenticat$4 or authoris$8 or authoriz$8 or verif$8 or password$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/04 17:45
S33	5510	S25 and ("713"/$.ccls. or 709/227-229.ccls.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/04 17:42
S34	3599	global near5 (identifier$1 or id$1 or credential$1 or key$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/04 17:53
S35	62	((plurality or group$1 or peer or multiple or federation) near7 server$1) same (global near5 (identifier$1 or id$1 or credential$1 or key$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/04 17:42
S36	27810	("713"/$.ccls. or 709/227-229.ccls.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/04 17:42
S37	16	S35 and S36	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/04 17:45
S38	12	S37 and (authenticat$4 or authoris$8 or authoriz$8 or verif$8 or password$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/04 17:45
S39	53945	((plurality or group$1 or peer or multiple or federation or federated) near7 server$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/04 17:53
S40	192	((federation or federated) near7 server$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/04 17:53

S41	64	S40 same (identifier$1 or id$1 or credential$1 or key$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/04 17:53
S42	27	S41 and @ad<"20011029"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/04 17:57
S43	81804	(cryptograph$3 or random or pseudo) with (identifier$1 or id$1 or number or key$1 or credential$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/04 18:04
S44	43	S43 and S40	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/04 17:57
S45	15	S44 and @ad<"20011029"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/04 18:04
S46	174	S34 and S43 and S28	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/04 18:00
S47	98	S46 and S36	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/04 18:00
S48	63	S47 and @ad<"20011029"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/04 18:00
S49	23	S48 and S25	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/04 18:04
S50	129688	(cryptograph$3 or random or pseudo) with (identifier$1 or id$1 or number or key$1 or credential$1 or generat$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/05 15:04

S51	13	S50 and S21 and S34	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/04 18:04
S52	8	S51 and @ad<"20011029"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/04 18:05
S53	43	S50 and S40	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/04 18:05
S54	15	S53 and @ad<"20011029"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/05 15:04
S55	40	"5202921".uref.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/04 18:07
S56	25	S55 and S50	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/04 18:07
S57	5	S56 and S39	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/04 18:08
S58	2	"5706427".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/04 18:12
S59	18	S19 and S50	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/04 18:12
S60	0	S58 and S50	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/04 18:16

S61	2	"6119147".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/04 18:16
S62	0	"grandcolas.inv.."	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/04 19:06
S63	0	"grandcolas.inv."	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/04 19:06
S64	14	"1089516"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/04 19:07
S65	4789	(plurality or group$1 or multiple) near3 (authenticat$4 or verification$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/05 15:03
S66	4790	(plurality or group$1 or multiple or (peer adj group)) near3 (authenticat$4 or verification$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/05 16:09
S67	24985	709/229.ccls. or "713"/$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/05 15:03
S68	1268	S67 and S66	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/05 15:03
S69	21983	smart adj (key$1 or card$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/05 15:03
S70	369	S69 and S68	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/05 15:04

S71	129688	(cryptograph$3 or random or pseudo) with (identifier$1 or id$1 or number or key$1 or credential$1 or generat$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/05 15:04
S72	141931	(cryptograph$3 or random$2 or pseudo) with (identifier$1 or id$1 or number or key$1 or credential$1 or generat$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/05 15:07
S73	292	S72 and S70	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/05 15:04
S74	167	S73 and @ad<"20011029"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/05 16:08
S75	119	S74 and (client$1 or server$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/05 15:05
S76	12	S75 and (single near3 sign)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/05 15:05
S77	1096	(plurality or group$1 or multiple or (peer adj group)) near3 (authenticat$4 or verification$1) near3 (server$1 or system$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/05 15:24
S78	247	S77 and S67 and S72	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/05 15:07
S79	113	S78 and @ad<"20011029"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/05 15:24
S80	62619	server$1 near5 (identifier$1 or id$1 or number or key$1 or credential$1 or generat$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/05 15:08

S81	60	S80 and S79	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/05 15:11
S82	635	peer adj group$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/05 15:11
S83	25	S82 and S67	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/05 15:11
S84	7	S83 and @ad<"20011029"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/05 15:11
S85	78	(plurality or group$1 or multiple or (peer adj group)) near3 (authenticat$4 or verification$1) near3 (database$1 or repositor$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/05 15:24
S86	36	S85 and @ad<"20011029"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/05 15:28
S87	12515	(stor$3 or sav$3) near4 (client$1 or user$1) near4 (cookie$1 or id$1 or identifier$1 or key$1 or signature$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/05 15:27
S88	288957	(user$1 or client$1) near5 (profile$1 or information$1 or characteristic$1 or parameter$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/05 15:26
S89	2389	S88 and S87 and S72	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/05 15:27
S90	5114	S88 same S87	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/05 15:27

S91	1034	S90 and S89	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/05 15:27
S92	33	S91 and S77	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/05 15:27
S93	13340	(stor$3 or sav$3 or map$4) near4 (client$1 or user$1) near4 (cookie$1 or id$1 or identifier$1 or key$1 or signature$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/05 15:27
S94	1114	S93 and S67 and S80 and S88 and S87	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/05 15:28
S95	77	S94 and S77	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/05 15:28
S96	54	S95 and S72	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/05 15:28
S97	23	S96 and @ad<"20011029"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/05 15:28
S98	21	("5442749" | "5761309" | "5774551" | "5841970" | "5845070" | "5944824" | "6006328" | "6023684" | "6073242" | "6173400" | "6219790" | "6223289" | "6226744" | "6226751" | "6226752" | "6233565" | "6275944" | "6289462" | "6317830" | "6385596" | "6470397"). PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/02/05 15:36
S99	0	S98 and S82	US-PGPUB; USPAT; USOCR	OR	OFF	2005/02/05 15:36
S100	3	S98 and S77	US-PGPUB; USPAT; USOCR	OR	OFF	2005/02/05 15:36

S10 1	1606	((certificate or verification or authenticat$4) near3 servers)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/05 15:44
S10 2	577	(identification adj server$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/05 15:44
S10 3	20	S101 and S102	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/05 15:55
S10 4	427	dejong.inv.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/05 15:54
S10 5	155	federat$4 near3 server$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/05 15:55
S10 6	22	S105 and S101	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/05 15:55
S10 7	0	"5706427.uref.."	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/05 16:07
S10 8	42	"5237614".uref.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/05 16:07
S10 9	0	"5706427.uref."	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/05 16:08
S11 0	46	"5706427".uref.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/05 16:08

S11 1	323	"4993068".uref.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/05 16:08
S11 2	390	(S108 or S110 or S111) and @ad<"20011029"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/05 16:21
S11 3	13018	(plurality or group$1 or multiple or federat$4) with (authenticat$4 or verification$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/05 16:09
S11 4	172	server$1 and S112	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/05 16:09
S11 5	43	S114 and S113	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/05 16:20
S11 6	303	(authentication or verification) adj2 group$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/05 16:21
S11 7	87	S116 and "713"/$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/05 16:21
S11 8	36	S117 and @ad<"20011029"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/05 16:23
S11 9	1	S116 and S112	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/05 16:21
S12 0	5250	709/227-229.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/05 16:23

| S12 1 | 12 | S120 and S116 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/02/05 16:24 |